

Home | Login | Logical | Access information | Alerts | Sitemap | Halp

Welcome United States Patent and Trademark Office

SEARCH Search Results BROWSE HEE XPLORE GUIDE SUPPORT Results for "( ( (storage or disk or disc)<in>metadata ) <and> ( controller and virtual\*<in>met..." e-mail printer friendly Your search matched 1 of 1328352 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. Search Options View Session History Modify Search (((storage or disk or disc)<in>metadata) <and>(controller and virtual\*<in>metadata New Search Search > Check to search only within this results set » Key Display Format: Citation Citation & Abstract IEEE JNL IEEE Journal or Magazine IEE Journal or Magazine IEE JNL view selected items Select All Deselect All KEEE CHF IEEE Conference Proceeding IEE CNF IEE Conference Proceeding 1. An efficient BIST method for distributed small buffers Jone, W.B.; Huang, D.C.; Wu, S.C.; Lee, K.J.; IEEE Standard HEE STD

Very Large Scale Integration (VLSI) Systems. IEEE Transactions on

Volume 10, Issue 4, Aug. 2002 Page(s):512 - 515 Digital Object Identifier 10.1109/TVLSI.2002.800532

AbstractPlus | References | Full Text: PDF(288 KB) | IEEE JNL

Rights and Permissions

indexed by

Help Contact Us Privacy & Security IEEE.org

O Copyright 2006 IEEE - All Rights Reserved



Home | Legin | Legout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

View Search Results

SEMONSE

SEARCH

HERE XPLORE GUIDE

SUPPORT

Sectival Aprilment friendly

Access this document

Full Text: PDE (288 KB)

Download this citation Choose Citation & Abstract \*

Download ASCII Text

¿Learn More

 Learn More Rights and Permissions

# An efficient BIST method for distributed small buffers

Dept. of Comput. Sci. & Inf. Eng., Nat. Chung-Cheng Univ., Chiayi, Taiwar Jone W.B. Huang D.C. Wu.S.C. Lee K.J.

This paper appears in: Yery Large Scale Integration (YLSI) Systems, IEEE Transactions on

Publication Date: Aug. 2002

Volume: 10 , Issue: 4

On page(s): 512 - 515

INSPEC Accession Number:7527810 ISSN: 1063-8210

Digital Object Identifier: 10.1109/TVLSI.2002.800532

Posted online: 2003-02-19 12:48:59.0

memory modules with different sizes. Using the concept of redundant read-write operations, we develop a new march method, called In this work, we propose a new built-in self-testing (BIST) method that is able to concurrently test a set of spatially distributed embeddedmethod to **virtually** partition each large memory array into smaller modules, which can be tested simultaneously fault coverage. The total test time is dominated by large-size modules. To further reduce the test time, we also propose a split-mode test RSMarch, to efficiently test each memory module. The new method has the advantages of low hardware overhead, short test time, and high

index Terms

## Controlled Indexing

YLS: buffer storage built-in self test integrated circuit testing integrated memory circuits logic testing system-on-

# Non-controlled Indexing

test time coverage low hardware exerthead march method redundant read-write operations serial interface technique short BIST method RSMarch SOC testing built-in self-testing concurrent testing distributed small buffers high-fault spatially distributed embedded-memory modules split-mode test method system on chip testing

## Author Keywords

Not Available

### References

- L. Temullo, R. D. Adams, J. Connor, and G. S. Koch, "Deterministic self-test of a high-speed embedded memory and logic processor subsystem," in Proc. Int. Test Conf., 1995, pp. 33-44. Abstract | Full Text: PDF (1308KB)
- P. Mazumder and J. K. Patel. "Parallel testing for pattern-sensitive faults in semiconductor random-access memories," IEEE Trans

Comput., vol. C-38, no. 3, pp. 394-407, Mar. 1989. Abstract | Full Text: PDE (1108KB)

- T. Shridhar, "A new parallel test approach for large memories," IEEE Des. Test Comput., vol. 3, pp. 15-22, Apr. 1986 (Buy Via Ask IEEE)
- Y. Morooka, S. Mori, M. Miyamoto, and M. Yamada, "An address maskable parallel testing for ultra high density drams," in Proc. Int. Test Conf., 1991, pp. 556-563. Abstract | Full Text: PDE (764KB)
- G J. C. Lee, Y. S. Kang, and S. Kang, "A parallel test algorithm for pattern sensitive faults in semiconductor random access memories," in Proc. Int. Symp. Circuit Systems, 1997, pp. 2721-2724.
- B. Nadeau-Dostie, A. Silburt, and V. K. Agarwal, "Serial interfacing technique for embedded memory testing," IEEE Des. Test Comput. Abstract | Full Text: PDF (364KB)
- თ vol. 7, no. 2, pp. 52-63, Apr. 1990. Abstract | Full Text: PDE (784KB)
- S. C. Wu, A Parallel BIST Method for RAM-Based FIFO's, Master Thesis, Taiwan: Dept. of Computer Science and Information Engineering, National Chung-Cheng University, 1997.
- D. C. Huang, Testing and diagnosis for distributed memory buffers, Ph.D. dissertation Chiayi, Taiwan: Dept. of Computer Science and Information Engineering, National Chung-Cheng University, 2000.

## Citing Documents

An efficient BIST method for non-traditional faults of embedded memory arrays, Jone, W.-B.; Der-Chen Huang; Das, S.R. Abstract | Full Text: PDE (412) On page(s): 1381- 1390, Volume: 52, Issue: 5, Oct. 2003 Instrumentation and Measurement, IEEE Transactions on

# ✓ View Search Results

III inspec

Help Contact Us Privacy & Security IEEE.org

& Copyright 2006 IEEE - All Rights Reserved

#### Refine Search

#### Search Results -

Terms	Documents
((storage or disk or disc) near5 controller) same virtual\$7 same redundant	7

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database **EPO Abstracts Database** Database: JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:

L1 		<u>*</u>	Refine Search
	Recall Text 👄	Clear	Interrupt

#### Search History

DATE: Friday, March 17, 2006 Printable Copy Create Case

Set Name Query side by side

DB=DWPI; PLUR=YES; OP=OR

((storage or disk or disc) near5 controller) same virtual\$7 same redundant

**Hit Count Set Name** result set

7

L1

**END OF SEARCH HISTORY** 

#### Refine Search

#### Search Results -

Terms	Documents
L2 and "point-to-point"	7

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L3			Refine Search
	Recall Text 🗢	Clear	Interrupt

#### Search History

DATE: Friday, March 17, 2006 Printable Copy Create Case

Set Name Query	Hit Count S	Set Name
side by side		result set
DB=PGPB, USPT, USOC; PLUR=YES; OP=OR		
<u>L3</u> L2 and "point-to-point"	7	<u>L3</u>
<u>L2</u> ((storage or disk or disc) near5 controller) same virtual\$7 same re	edundant 138	<u>L2</u>
DB=DWPI; $PLUR=YES$ ; $OP=OR$		
L1 ((storage or disk or disc) near5 controller) same virtual\$7 same re	edundant 7	<u>L1</u>

**END OF SEARCH HISTORY** 

Refine Search

Interrupt

#### Refine Search

#### Search Results -

Terms	Documents	
L2 and "point-to-point"	0	

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L4

Search:

Recall Text :

Search History

Clear

#### DATE: Friday, March 17, 2006 Printable Copy Create Case

Set Name Query	Hit Count	<u>Set Name</u>
side by side		result set
DB=EPAB,JPAB,DWPI,TDBD;PLUR=YES;OP=OR		
<u>L4</u> L2 and "point-to-point"	0	<u>L4</u>
DB=PGPB, USPT, USOC; PLUR=YES; OP=OR		
<u>L3</u> L2 and "point-to-point"	7	<u>L3</u>
L2 ((storage or disk or disc) near5 controller) same virtual\$7 same redundant	t 138	<u>L2</u>
DB=DWPI; $PLUR=YES$ ; $OP=OR$		
<u>L1</u> ((storage or disk or disc) near5 controller) same virtual\$7 same redundant	t 7	<u>L1</u>

**END OF SEARCH HISTORY**